

Ultraspan II™ HPF

The Industry's Premium Stretchable Heat Transfer

Ultraspan II HPF is a super versatile multi-purpose stretchable heat transfer for synthetic fabrics. It has been specifically developed for stretchable materials like Spandex, Lycra & Neoprene and is made to stretch with the fabric without cracking or losing shape. Ultraspan II HPF utilizes a durable semi-transparent border which is nearly invisible once applied to your substrate. Ultraspan II HPF is soft to the touch, delivers remarkable detail and can be printed with up to 10 spot Pantone® colors.

For Various Industries & Uses

Ultraspan II HPF allows you to add a decorative and functional element to active wear, swimsuits, wet-suits and other performance fabrics. Use it for large graphics, small logos, tagless neck labels and so much more. Ultraspan II HPF is also a great branding tool for the medical & orthopedic industries, as it can be used as a method for private labeling items like molded neoprene, sports braces & soft good medical devices with corporate logos & names.

Product Features:

- Superior stretch capability
- Durable wash resistance
- Holds great detail
- Phthalate compliant
- Metallic & shimmer inks available
- Semi transparent hot peel carrier (HPF)

For Use On:

Apparel:

- Cotton & Cotton Blends
- Polyester & Polyester Blends
- Dri-Fit & Moisture Wicking
- Spandex & Lycra
- Bamboo & Hemp

Industrial Substrates :

- Neoprene



Application Instructions:

- Time: 8 – 10 seconds
- Temperature: 330°– 340°F / 166°– 171°C
- Pressure: 35 - 40 lbs.
- Peel Hot
- Pre-heat materials

Minimum Line Weights:

- Positive line weight: 1 pt.
- Negative line weight: 1 pt.

Heat Transfer Storage:

- Heat transfers should be stored in original packaging until ready for use.
- Store away from direct heat, sunlight and high humidity.
- Shelf life: one year from date of shipment.

Heat Transfer Limited Warranty

All statements, technical information and recommendations concerning products or samples provided by Insta are based upon tests believed to be reliable but do not constitute a guarantee or warranty.

Since the conditions under which Insta's heat transfer products may be applied to garments and other products are beyond its control Insta assumes no liability for the results obtained during and from transfer application process to the garment fabric or otherwise. It is the customers responsibility to independently determine, prior to use, the suitability, finish and wash of these products for their specific applications and that the end product laundered with soaps containing bleach, or harsh detergents with bleach or bleach particles. No warranty, expressed or implied is given. Insta's liability is limited only to the purchase price of the heat transfers.

The limited warranty is further subject to the condition that the Customer notifies Insta of any defect in material or workmanship within thirty (30) days of the date of delivery. Shelf Life of transfers is one year from date of shipment, unless otherwise specified in writing. Transfers should be stored in the original packaging and in a cool, dry area away from direct sunlight at a temperature no higher than 75F (24C). The customer is financially responsible for third party testing performed by an independent lab.